

| Ref # | Hits   | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|--------|--|---|------------------|---------|------------------|
| L1    | 798    | (455/41.2).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/09/27 16:21 |
| L2    | 87     | (455/41.3).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/09/27 16:21 |
| L3    | 503    | (455/343.1).CCLS.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/09/27 16:21 |
| L4    | 874    | (455/574).CCLS.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/09/27 16:21 |
| L5    | 219    | (1 2 3 4) and (frequency with power with (consum\$6 conservat\$ reduc\$5))               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/09/27 16:21 |
| L6    | 11     | 5 and (accelerometer ((acceleration motion movement vibrat\$3) adj (sens\$3 detect\$3))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/09/27 16:22 |
| S1    | 141763 | (transceiver transponder RFID Bluetooth)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/09/27 16:20 |
| S2    | 121349 | accelerometer ((acceleration motion movement vibrat\$3) adj (sens\$3 detect\$3))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/30 13:31 |
| S3    | 1211   | S1 same S2   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/06/30 13:31 |

|     |        |  |   |    |    |                  |
|-----|--------|--|---|----|----|------------------|
| S4  | 28919  | (threshold with (activat\$3<br>actuat\$3))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:32 |
| S5  | 42     | S3 and S4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:32 |
| S6  | 112239 | (mobile cell\$5) adj phone   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:42 |
| S7  | 141763 | (transceiver transponder RFID<br>Bluetooth)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:42 |
| S8  | 121349 | accelerometer ((acceleration<br>motion movement vibrat\$3) adj<br>(sens\$3 detect\$3)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:42 |
| S9  | 28919  | (threshold with (activat\$3<br>actuat\$3))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 14:18 |
| S10 | 1211   | S7 same S8   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:42 |
| S11 | 42     | S10 and S9   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:42 |
| S12 | 304    | S10 and S6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 13:42 |
| S13 | 3034   | S6 and S8  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/30 14:03 |

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S14 | 117  | S13 and S9  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/30 14:18 |
| S15 | 17   | transceiver with (activat\$3<br>actuat\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/30 14:19 |
| S16 | 4354 | transceiver with (activat\$3<br>actuat\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/30 14:19 |
| S17 | 36   | S16 with (accelerometer<br>((acceleration motion movement<br>vibrat\$3) adj (sens\$3 detect\$3))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/06/30 14:39 |
| S18 | 7    | ("5838257").URPN.   | USPAT   | OR | ON  | 2005/06/30 14:37 |
| S19 | 1363 | (340/572.1).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/30 14:37 |
| S20 | 29   | (340/545.5).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/30 14:38 |
| S21 | 1641 | (200/61.45R,61.46,61.52).CCLS.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/30 14:38 |
| S22 | 259  | (73/652).CCLS.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/30 14:38 |
| S23 | 1450 | (335/205-207).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/30 14:38 |
| S24 | 115  | S19 and (accelerometer<br>((acceleration motion movement<br>vibrat\$3) adj (sens\$3 detect\$3)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/09/27 16:21 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S25 | 1896 | (mobile cell\$4 phone) same (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 13:36 |
| S26 | 1134 | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 13:50 |
| S27 | 138  | S26 and ((alter\$3 chang\$3) with (power frequency))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 13:38 |
| S28 | 5    | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)) gyroscop\$2 (speed adj (sens\$3 detect\$3))) and tap\$4 and shak\$3 and knock\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:15 |
| S29 | 44   | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)) gyroscop\$2 (speed adj (sens\$3 detect\$3))) and tap\$4 and shak\$3              | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 13:52 |
| S30 | 166  | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)) gyroscop\$2 (speed adj (sens\$3 detect\$3))) and transceiver                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 13:54 |
| S31 | 16   | S30 and bluetooth and IR   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 13:54 |
| S32 | 13   | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)) gyroscop\$2 (speed adj (sens\$3 detect\$3))) and (tap\$4 with switch)            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:16 |
| S33 | 141  | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)) gyroscop\$2 (speed adj (sens\$3 detect\$3))) same switch                         | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:31 |
| S34 | 11   | (mobile cell\$4 phone) with (tilt adj (sens\$3 detect\$3)) same switch   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:30 |

|     |       |   |   |    |    |                  |
|-----|-------|---|---|----|----|------------------|
| S35 | 9     | (mobile cell\$4 phone) with (accelerometer (accelerat\$3 adj (sens\$3 detect\$3)) gyroscop\$2 (speed adj (sens\$3 detect\$3)) tilt) with switch with mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:33 |
| S36 | 5     | (mobile cell\$4 phone) with tilt with switch with mode  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:33 |
| S37 | 2     | (cell\$4 phone) same (tilt with switch with mode)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:42 |
| S38 | 101   | (cell\$4 phone) same (tilt with mode)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:42 |
| S39 | 17367 | (phone cell\$4 pda) and (accelerometer ((acceleration motion movement vibrat\$3 tilt) adj (sens\$3 detect\$3)))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:45 |
| S40 | 949   | S39 and (operation\$2 adj mode)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:45 |
| S41 | 95    | (phone cell\$4 pda) and ((accelerometer ((acceleration motion movement vibrat\$3 tilt) adj (sens\$3 detect\$3))) same (operation\$2 adj mode))            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/07 14:46 |
| S42 | 26374 | (mobile cell\$5 pda) and (frequency same power same (consum\$6 conservat\$ reduc\$5))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/17 10:12 |
| S43 | 10485 | (mobile cell\$5 pda) and (frequency with power with (consum\$6 conservat\$ reduc\$5))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/17 10:12 |
| S44 | 2468  | (mobile cell\$5 pda) same (frequency with power with (consum\$6 conservat\$ reduc\$5))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/27 16:21 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S45 | 2070 | (mobile cell\$5 pda) same<br>(frequency with power near6<br>(consum\$6 conservat\$ reduc\$5))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:31 |
| S46 | 585  | S45 and ("340"/\$.ccls. "455"/\$.<br>ccls.)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:13 |
| S47 | 81   | (mobile cell\$5 pda) same (mode<br>with change with (feedback<br>confirm\$6 acknowledge\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:33 |
| S48 | 1    | (phone telephone pda) same<br>(mode with change with (feedback<br>confirm\$6 acknowledge\$4) with<br>(audi\$3 vis\$4 tactile vibrat\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:35 |
| S49 | 12   | (phone telephone pda) same<br>(mode with change with indicat\$3<br>with (audi\$3 vis\$4 tactile<br>vibrat\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:36 |
| S50 | 134  | (phone telephone pda) same<br>(mode with change with indicat\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:36 |
| S51 | 8    | S50 and "340"/\$.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:38 |
| S52 | 42   | S50 and "455"/\$.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/17 10:38 |
| S53 | 9    | (US-20030085870-\$ or<br>US-20040066302-\$ or<br>US-20040102159-\$ or<br>US-20040145564-\$ or<br>US-20040169674-\$ or<br>US-20040181703-\$ or<br>US-20050083181-\$ or<br>US-20030100295-\$).did. or<br>(US-6300933-\$).did. | US-PGPUB;<br>USPAT                                      | OR | ON | 2005/09/17 12:19 |

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S54 | 0  | S53 and fob   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/09/17 12:20 |
| S55 | 5  | S53 and key   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/09/17 13:37 |
| S56 | 10 | (RFID with (reader interrogator))<br>same (activation with (acceleration<br>motion vibration tilt)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/09/17 13:49 |
| S57 | 4  | ((("6677852") or ("5305008")).PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/17 13:50 |
| S58 | 2  | ("20030134657").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/17 14:25 |